

Sample Received: July 16, 2026

COA Issued: July 21, 2026

PRODUCT INFORMATION

|                    |              |                         |             |             |
|--------------------|--------------|-------------------------|-------------|-------------|
| Vendor:            | Sample Name: | Sample Type:            | Lot Number: | MW (g/mol): |
| Aurevia Bioscience | GHK-Cu 100mg | Blue lyophilized powder | 00011       | 403.2       |

ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

| Specification    | Result    | Method            | Status     |
|------------------|-----------|-------------------|------------|
| Identity: GHK-Cu | GHK-Cu    | LC/MS-MS          | ✓ Conforms |
| Content          | 102.86 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity   | 99.8%     | RP-HPLC (214 nm)  | ✓ Conforms |

HPLC Chromatogram (Retention Time: 1.982 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian’s analytical quality specifications for peptide research use.  
Visit: <https://bioviridians.com/coa-search.html>



Shane Straight  
Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.